

Similar Image



HV throttling pendulum valve, Analog/TTL controller

DN 150 to DN 350, Analog controller, 24 V DC (±5 %)

Part number: BQC-800L-AB






HV throttling pendulum valve, Analog/TTL controller DN 150 to DN 350, Analog controller, 24 V DC (±5 %)

- Adaptive algorithm for improved stability and faster transitions
- CE marked/fully REACH and RoHS compliant



Similar Image



Dimensions (in inches)	
Dim A	4.49"
Dim B	5.43"
Dim C	2.76"
Dim D	5.67"
Dim E	2.36"

BQC-800L-AB

Parameters	Specifications
Valve / Flange Size	DN 150 to DN 350
Communications Interface	Analog
Additional Controller Features	Power Fail Option
Controller Communications	Analog/TTL system interface; RS232 service port
Supply Voltage	24 V DC (±5 %)
Power Connector	XLR, 5-pin, Female
Gauge Power Supply	±15 V DC (±5%), 1.4 A max.
Power Fail Option	included
Temp. Limits (actuator)	5 °C (minimum), 45 °C (maximum)
Material (valve body)	5052 Aluminum
Weight	2.42 lbs

www.n-c.com Part number: BQC-800L-AB NC0721A Page 2

VACUUM SOLUTIONS FOR INDUSTRY & RESEARCH

Nor-Cal Products is a premier global source for custom and standard high and ultra-high vacuum chambers and components critical to the success of industrial, semiconductor, coating, analytics, and research applications. We offer an extensive selection of vacuum line fittings, hardware, valves and components which complement our custom manufacturing capabilities.

EARNING YOUR TRUST

Innovative engineering, precision manufacturing, exceptional service and expert technical support are cornerstones of our corporate culture and continuous improvement goals. Your trust is our most important asset.

INNOVATION SINCE 1962

An added value to working with Nor-Cal Products is how we apply our vacuum science and industry expertise to your production and research goals and timelines. We continue to develop new component lines and services to serve the demands of the exciting and ever emerging applications that require vacuum components.

Nor-Cal Products Headquarters: USA 1-800-824-4166 or 530-842-4457 ncsales@n-c.com www.n-c.com



RoHS2/REACH compliant Conflict mineral regulations enforced



