



HV throttling pendulum valve DN 250 JIS, bright dipped finish

Part number: TPVP-C129






HV throttling pendulum valve DN 250 JIS, bright dipped finish

- Space saving, low cost design
- High reliability, low particle generation
- Can be operated in any orientation
- Body can be heated up to 120°C with optional heater jackets
- CE marked/fully REACH and RoHS compliant



Similar Image



Т	J\/	0	ra	29
П	v	F-'	G I	ZJ

Parameters	Specifications
Valve / Flange Size	DN 250 JIS
Finish	Bright Dipped
Flange Size / Type	DN 250 JIS
Supply Voltage	Provided by BQC 800-Series Controller
Power Connector	D-sub, 15-pin, male plug
Pressure Range	3.8 · 10 ⁻⁸ mbar to 1.1 bar
Max Differental at Opening	39 mbar
Max Temp (body)	150 °C
Temp. Limits (actuator)	5 °C (minimum), 45 °C (maximum)
Open / Close Time	3.3 s/2.8 s
Open Conductance	22000 l/s

Dimensions (in inches)				
Dim A	3.94"			
Dim B	3.54"			
Dim C	23.9"			
Dim D	18.0"			
Dim E	9.88"			
Dim F	10.4"			
Dim G	12.6"			
Dim H	8.46"			
Bolt Hole Thread	M12			
Thread Depth	0.472"			
# Bolt Holes	12			

www.n-c.com Part number: TPVP-C129 NC0721A Page 2



HV throttling pendulum valve DN 250 JIS, bright dipped finish

TPVP-C129

Parameters (Continued)	Specifications (Continued)
Min. Control Conductance	0.1 l/s
Material (valve body)	A356 Aluminum
Material (valve mechanism)	304 Stainless & 6061-T6 Aluminum
Gate Seal	FKM
Bonnet Seal	FKM
Leak Rate (body)	1 · 10 ⁻⁹ mbar l/s
Leak Rate (gate)	1 · 10 ⁻⁹ mbar l/s
Service Life	1 million cycles
Weight	59.62 lbs

www.n-c.com Part number: TPVP-C129 NC0721A Page 3

VACUUM SOLUTIONS FOR INDUSTRY & RESEARCH

Nor-Cal Products is a premier global source for custom and standard high and ultra-high vacuum chambers and components critical to the success of industrial, semiconductor, coating, analytics, and research applications. We offer an extensive selection of vacuum line fittings, hardware, valves and components which complement our custom manufacturing capabilities.

EARNING YOUR TRUST

Innovative engineering, precision manufacturing, exceptional service and expert technical support are cornerstones of our corporate culture and continuous improvement goals. Your trust is our most important asset.

INNOVATION SINCE 1962

An added value to working with Nor-Cal Products is how we apply our vacuum science and industry expertise to your production and research goals and timelines. We continue to develop new component lines and services to serve the demands of the exciting and ever emerging applications that require vacuum components.

Nor-Cal Products Headquarters: USA 1-800-824-4166 or 530-842-4457 ncsales@n-c.com www.n-c.com



RoHS2/REACH compliant Conflict mineral regulations enforced



