



# HV throttling pendulum valve, anodized DN 160 ISO-F, hard anodized finish

Part number: TPVP-H103






### **HV throttling pendulum valve, anodized** DN 160 ISO-F, hard anodized finish

- Space saving, low cost design
- High reliability, low particle generation
- Can be operated in any orientation
- Body can be heated up to 120°C with optional heater jackets
- CE marked/fully REACH and RoHS compliant



Similar Image



#### **TPVP-H103**

Parameters	Specifications
Valve / Flange Size	DN 160 ISO-F
Finish	Hard Anodized
Flange Size / Type	DN 160 ISO-F
Supply Voltage	Provided by BQC 800-Series Controller
Power Connector	D-sub, 15-pin, male plug
Pressure Range	3.8 · 10 <sup>-8</sup> mbar to 1.1 bar
Max Differental at Opening	39 mbar
Max Temp (body)	150 °C
Temp. Limits (actuator)	5 °C (minimum), 45 °C (maximum)
Open / Close Time	3.3 s/2.8 s
Open Conductance	5000 l/s

Dimensions (in inches)		
Dim A	3.46"	
Dim B	3.31"	
Dim C	20.5"	
Dim D	13.5"	
Dim E	7.64"	
Dim F	11.1"	
Dim G	7.87"	
Dim H	5.31"	
Bolt Hole Thread	M10	
Thread Depth	0.394"	
# Bolt Holes	8	

www.n-c.com Part number: TPVP-H103 NC0721A Page 2



## **HV throttling pendulum valve, anodized** DN 160 ISO-F, hard anodized finish

#### **TPVP-H103**

Parameters (Continued)	Specifications (Continued)
Min. Control Conductance	0.1 l/s
Material (valve body)	6061-T6 Aluminum, Hard anodized
Material (valve mechanism)	304 Stainless & 6061-T6 Aluminum, Hard anodized
Gate Seal	FKM
Bonnet Seal	FKM
Leak Rate (body)	1 · 10 <sup>-9</sup> mbar l/s
Leak Rate (gate)	1 · 10 <sup>-6</sup> mbar l/s
Service Life	1 million cycles
Weight	37.4 lbs

www.n-c.com Part number: TPVP-H103 NC0721A Page 3

#### **VACUUM SOLUTIONS FOR INDUSTRY & RESEARCH**

Nor-Cal Products is a premier global source for custom and standard high and ultra-high vacuum chambers and components critical to the success of industrial, semiconductor, coating, analytics, and research applications. We offer an extensive selection of vacuum line fittings, hardware, valves and components which complement our custom manufacturing capabilities.

#### **EARNING YOUR TRUST**

Innovative engineering, precision manufacturing, exceptional service and expert technical support are cornerstones of our corporate culture and continuous improvement goals. Your trust is our most important asset.

#### **INNOVATION SINCE 1962**

An added value to working with Nor-Cal Products is how we apply our vacuum science and industry expertise to your production and research goals and timelines. We continue to develop new component lines and services to serve the demands of the exciting and ever emerging applications that require vacuum components.

Nor-Cal Products Headquarters: USA 1-800-824-4166 or 530-842-4457 ncsales@n-c.com www.n-c.com



RoHS2/REACH compliant Conflict mineral regulations enforced



