

Similar Image



# Linear motion feedthrough

## 1.33" OD CF linear vacuum feedthrough, 2" stroke

**Part number: RLM-133-2**


## Linear motion feedthrough

### 1.33" OD CF linear vacuum feedthrough, 2" stroke

- 304 Stainless Steel/Anodized Aluminum Materials
- Motion: 2", 3", or 4" linear travel
- Any mounting orientation
- 2.75" CF mounting flange
- Maximum bakeout temperature 250°C



Similar Image



### RLM-133-2

Parameters	Specifications
Linear Motion Feedthrough Type	Medium Duty, Rotary Actuation
Flange Size / Type	DN 16 CF (1.33" OD)
Linear Stroke	2"
Feedthrough Shaft	1/4" OD
Orientation	Any
Vacuum Range	$1 \cdot 10^{-10}$ mbar to 1 bar (UHV)
Temperature Range	20 °C to 200 °C
Flange Material	304 Stainless
Weight	4 lbs

## VACUUM SOLUTIONS FOR INDUSTRY & RESEARCH

Nor-Cal Products is a premier global source for custom and standard high and ultra-high vacuum chambers and components critical to the success of industrial, semiconductor, coating, analytics, and research applications. We offer an extensive selection of vacuum line fittings, hardware, valves and components which complement our custom manufacturing capabilities.

## EARNING YOUR TRUST

Innovative engineering, precision manufacturing, exceptional service and expert technical support are cornerstones of our corporate culture and continuous improvement goals. Your trust is our most important asset.

## INNOVATION SINCE 1962

An added value to working with Nor-Cal Products is how we apply our vacuum science and industry expertise to your production and research goals and timelines. We continue to develop new component lines and services to serve the demands of the exciting and ever emerging applications that require vacuum components.

### Nor-Cal Products

Headquarters: USA

1-800-824-4166 or 530-842-4457

[nccsales@n-c.com](mailto:nccsales@n-c.com)

[www.n-c.com](http://www.n-c.com)



RoHS2/REACH compliant  
Conflict mineral regulations enforced

All data subject to change without prior notice.

Nor-Cal Products



by PFEIFFER VACUUM