

Similar Image



# Three stage LPCVD-TEOS traps ISO-80 three stage angle LPCVD-TEOS trap, 8" body

Part number: FTT3A-8-3002-ISO






# Three stage LPCVD-TEOS traps ISO-80 three stage angle LPCVD-TEOS trap, 8" body

- Wide range of trap styles and techniques
- Choose a trap for particles, moisture, condensable chemicals or any combination thereof
- Call us at 800-842-4166 to learn more about foreline contamination management



Similar Image



Dimensions (in inches)	
Dim A	21.0"
Dim B	5.75"
Dim C	8"
Dim E	18.0"

#### FTT3A-8-3002-ISO

Parameters	Specifications
Trap Type	LPCVD-TEOS Trap
Stage(s)	Three (stainless gauze, fiberglass filter & catch pot)
Port Orientation	Right Angle
Flange Size / Type	DN 80 ISO-K
Trap Body Size	8" OD
Body Material	304 Stainless
Vacuum Range	1 · 10 <sup>-8</sup> mbar to 1 bar
Temperature Range	-20 °C to 180 °C
Weight	17 lbs

www.n-c.com Part number: FTT3A-8-3002-ISO NC0721A Page 2

# **VACUUM SOLUTIONS FOR INDUSTRY & RESEARCH**

Nor-Cal Products is a premier global source for custom and standard high and ultra-high vacuum chambers and components critical to the success of industrial, semiconductor, coating, analytics, and research applications. We offer an extensive selection of vacuum line fittings, hardware, valves and components which complement our custom manufacturing capabilities.

## **EARNING YOUR TRUST**

Innovative engineering, precision manufacturing, exceptional service and expert technical support are cornerstones of our corporate culture and continuous improvement goals. Your trust is our most important asset.

### **INNOVATION SINCE 1962**

An added value to working with Nor-Cal Products is how we apply our vacuum science and industry expertise to your production and research goals and timelines. We continue to develop new component lines and services to serve the demands of the exciting and ever emerging applications that require vacuum components.

Nor-Cal Products Headquarters: USA 1-800-824-4166 or 530-842-4457 ncsales@n-c.com www.n-c.com



RoHS2/REACH compliant Conflict mineral regulations enforced



