





# Angle water cooled trap ISO-100 angle water cooled trap, 8" body

Part number: FTWA-8-4002-ISO-QD






## Angle water cooled trap ISO-100 angle water cooled trap, 8" body

- Wide range of trap styles and techniques
- Choose a trap for particles, moisture, condensable chemicals or any combination thereof
- Call us at 800-842-4166 to learn more about foreline contamination management



Similar Image

www.n-c.com



Dimensions (in inches)	
Dim A	11.8"
Dim B	5.75"
Dim C	8"
Dim D	9.00"
Dim E	6.87"

#### FTWA-8-4002-ISO-QD

Parameters	Specifications
Trap Type	Water Cooled Trap
Water Line	Quick Disconnect Fitting
Port Orientation	Right Angle
Flange Size / Type	DN 100 ISO-K
Trap Body Size	8" OD
Body Material	304 Stainless
Vacuum Range	1 · 10 <sup>-8</sup> mbar to 1 bar
Temperature Range	-20 °C to 180 °C
Weight	17 lbs

Part number: FTWA-8-4002-ISO-QD

# **VACUUM SOLUTIONS FOR INDUSTRY & RESEARCH**

Nor-Cal Products is a premier global source for custom and standard high and ultra-high vacuum chambers and components critical to the success of industrial, semiconductor, coating, analytics, and research applications. We offer an extensive selection of vacuum line fittings, hardware, valves and components which complement our custom manufacturing capabilities.

# **EARNING YOUR TRUST**

Innovative engineering, precision manufacturing, exceptional service and expert technical support are cornerstones of our corporate culture and continuous improvement goals. Your trust is our most important asset.

### **INNOVATION SINCE 1962**

An added value to working with Nor-Cal Products is how we apply our vacuum science and industry expertise to your production and research goals and timelines. We continue to develop new component lines and services to serve the demands of the exciting and ever emerging applications that require vacuum components.

Nor-Cal Products Headquarters: USA 1-800-824-4166 or 530-842-4457 ncsales@n-c.com www.n-c.com



RoHS2/REACH compliant Conflict mineral regulations enforced



