

Similar Image



# **Viewport shutter** 8" OD CF viewport shutter, 6" tube

Part number: ZVS-600






## Viewport shutter 8" OD CF viewport shutter, 6" tube

- Standard windows made with borosilicate glass or quartz
- Specialized materials including sapphire also available
- Viewport shutters keep the glass contamination free
- Use our Add-a-Doors to create your own system load lock
- Contact us at 800-824-4166 if you can't find exactly what you need



Similar Image



Dimensions (in inches)	
Dim A	5.00"
Dim B	2.06"
Dim C	1.75"
Dim D	2.90"
Dim E	8.49"
Dim F	0.500"

#### **ZVS-600**

Parameters	Specifications
Viewport Shutter Type	Complete Shield
Flange Size / Type	DN 150 CF (8" OD)
Flange & Shutter Material	304 stainless
Vacuum Range	1 · 1010 mbar to 1 bar (UHV)
Temperature Range	-20 °C to 150 °C
Weight	10 lbs

www.n-c.com Part number: ZVS-600 NC0721A Page 2

# **VACUUM SOLUTIONS FOR INDUSTRY & RESEARCH**

Nor-Cal Products is a premier global source for custom and standard high and ultra-high vacuum chambers and components critical to the success of industrial, semiconductor, coating, analytics, and research applications. We offer an extensive selection of vacuum line fittings, hardware, valves and components which complement our custom manufacturing capabilities.

# **EARNING YOUR TRUST**

Innovative engineering, precision manufacturing, exceptional service and expert technical support are cornerstones of our corporate culture and continuous improvement goals. Your trust is our most important asset.

### **INNOVATION SINCE 1962**

An added value to working with Nor-Cal Products is how we apply our vacuum science and industry expertise to your production and research goals and timelines. We continue to develop new component lines and services to serve the demands of the exciting and ever emerging applications that require vacuum components.

Nor-Cal Products Headquarters: USA 1-800-824-4166 or 530-842-4457 ncsales@n-c.com www.n-c.com



RoHS2/REACH compliant Conflict mineral regulations enforced



