

Similar Image



# **CF wire seal flange** 14" wire seal flange, 12" bore, male

Part number: WS-14-1200M






# **CF** wire seal flange

## 14" wire seal flange, 12" bore, male

- Wire Seal make UHV seals possible in very large flange sizes
- Robust seal tolerant of bakeout to 450C
- Dished shape blanks and other options available
- Contact us at 800-824-4166 if you can't find exactly what you need



Similar Image



#### WS-14-1200M

Parameters	Specifications
Flange Size	DN 12 (14" OD)
Type	Bored
Gender	Male
Material	304 stainless
Bore	11.8"
Thickness	1.13"
Bolt Circle	13.6"
Bolt Hole Diameter	0.406"
# Bolt Holes	32
Vacuum Range	1 · 10 <sup>-13</sup> mbar to 1 bar
Temperature Range	-200 °C to 450 °C
Weight	18.1 lbs

Dimensions (in inches)	
Dim A	14.6"
Dim B	1.13"
Dim C	11.8"
Dim D	12.0"
Dim E	0.630"
Dim F	13.6"
Dim G	0.406"

www.n-c.com Part number: WS-14-1200M NC0721A Page 2

# **VACUUM SOLUTIONS FOR INDUSTRY & RESEARCH**

Nor-Cal Products is a premier global source for custom and standard high and ultra-high vacuum chambers and components critical to the success of industrial, semiconductor, coating, analytics, and research applications. We offer an extensive selection of vacuum line fittings, hardware, valves and components which complement our custom manufacturing capabilities.

# **EARNING YOUR TRUST**

Innovative engineering, precision manufacturing, exceptional service and expert technical support are cornerstones of our corporate culture and continuous improvement goals. Your trust is our most important asset.

### **INNOVATION SINCE 1962**

An added value to working with Nor-Cal Products is how we apply our vacuum science and industry expertise to your production and research goals and timelines. We continue to develop new component lines and services to serve the demands of the exciting and ever emerging applications that require vacuum components.

Nor-Cal Products Headquarters: USA 1-800-824-4166 or 530-842-4457 ncsales@n-c.com www.n-c.com



RoHS2/REACH compliant Conflict mineral regulations enforced



