



# **Linear motion feedthrough**

Pneumatic linear motion feedthrough, 2" travel

Part number: ALM-133-2





# **Linear motion feedthrough**

## Pneumatic linear motion feedthrough, 2" travel

- 304 Stainless Steel/Anodized Aluminum Materials
- Motion: 2", 3", or 4" linear travel
- Any mounting orientation
- 2.75" CF mounting flange
- Maximum bakeout temperature 250°C



Similar Image

# 10.00 (254) 3.00 Stroke Stroke Solenoid Air cylinder (38.1)

#### ALM-133-2

Parameters	Specifications
Linear Motion Feedthrough Type	Pneumatic Actuation
Flange Size / Type	DN 16 CF (1.33" OD)
Linear Stroke	2"
Feedthrough Shaft	1/4" OD
Orientation	Any
Vacuum Range	$1\cdot 10^{\text{-}10}$ mbar to 1 bar (UHV)
Temperature Range	20 °C to 200 °C
Flange Material	304 Stainless
Supply Pressure	3.5 to 10 bar
Weight	5 lbs

www.n-c.com Part number: ALM-133-2 NC0721A Page 2

# **VACUUM SOLUTIONS FOR INDUSTRY & RESEARCH**

Nor-Cal Products is a premier global source for custom and standard high and ultra-high vacuum chambers and components critical to the success of industrial, semiconductor, coating, analytics, and research applications. We offer an extensive selection of vacuum line fittings, hardware, valves and components which complement our custom manufacturing capabilities.

# **EARNING YOUR TRUST**

Innovative engineering, precision manufacturing, exceptional service and expert technical support are cornerstones of our corporate culture and continuous improvement goals. Your trust is our most important asset.

### **INNOVATION SINCE 1962**

An added value to working with Nor-Cal Products is how we apply our vacuum science and industry expertise to your production and research goals and timelines. We continue to develop new component lines and services to serve the demands of the exciting and ever emerging applications that require vacuum components.

Nor-Cal Products Headquarters: USA 1-800-824-4166 or 530-842-4457 ncsales@n-c.com www.n-c.com



RoHS2/REACH compliant Conflict mineral regulations enforced



